

Test Report

TEST REPORT NO: UB/2005/B0043A

Date: NOV. 25, 2005

Page: 1 of 1

CRYSON NANO TECHNOLOGY LTD., CO.

The following sample(s) was/were submitted and identified by/on behalf of client as:

Type of Product: 奈米銀抗菌防臭液
Buyer/Order No: 20 ppm Nano silver
Date of Sample Received: Nov. 15, 2005
Date of Testing: Nov. 16, 2005

Test Requested: 1.Determination of *Staphylococcus aureus* of submitted sample.
 2.Determination of *Klebsiella pneumoniae* of submitted sample.

Test Method: 1. U.S. Pharmacopeia 26 NF 21 Microbiological Tests (51) Antimicrobial Effectiveness Testing.
 2. U.S. Pharmacopeia 26 NF 21 Microbiological Tests (51) Antimicrobial Effectiveness Testing.

Test Results:


1.	Test Item	0 min (Initial Inoculation)	Unit	30 min later	Reduction	Unit
	<i>Staphylococcus aureus</i>	7.5 ×10 ⁵	CFU/mL	Negative	>99.999	%
	<i>Klebsiella pneumoniae</i>	5.3 ×10 ⁵	CFU/mL	Negative	>99.999	%

2.	Test Item	0 hr (Initial Inoculation)	Unit	24 hr later	Reduction	Unit
	<i>Staphylococcus aureus</i>	7.6 ×10 ⁵	CFU/mL	Negative	>99.999	%
	<i>Klebsiella pneumoniae</i>	5.2 ×10 ⁵	CFU/mL	Negative	>99.999	%

- NOTE :
- 1.The report is separated for used in vain.
 - 2.This test document cannot be reproduced in any way, except in full context, without the prior approval in writing of the laboratory.
 - 3.This test item was subcontracted to SGS TPE-Food Lab.

Signed for and on behalf of
 SGS Taiwan Ltd.

End of the Report



Yuan-Min Wen
 Manager